



CONTEMPORARY MIXTURES SURFACES & SIGNATURE SURFACES



NEW COLLECTION
2022

exxaro[®]
TILES
— Naye bharaat ki nayi pehchan —

SPANZIA
COLLECTION
600x1200mm



**EMPIRE OF TILES,
WHERE YOU CAN FIND WORLDWIDE
NETWORK, POWERFUL TEAM
AND INVENTIVE VISION.**

Exxaro Tiles is poised to go on a remarkable and never ending journey of excellence in the Tiles Industry. To add energy and vigor to this journey, it is equipped with state of the art infrastructure comprising best of machinery, resources and manpower. At a huge plant established at the most advantageous location of Gujarat. Exxaro Tiles brings you the convenience of comprehensive tiling solutions under one roof. With its meticulously crafted innovative tiling solutions, Exxaro Tiles is wining accolades and trust of clients across the world.







The company has in house laboratory to ensure quality throughout production. While our R&D department is continually working to fulfill customers demand.


FLAWLESS ART AND ARCHITECTURAL POSSIBILITIES FOR YOUR DREAM SPACE.

Whatever the living style to be interpreted, Exxaro offers a wealth of colours, materials and decorations to furnish and decorate any home, even the most prestigious, with tailor made solution. The assortment of sizes, thickness and finishes guarantees tailor-made solutions for **all** the technical demands of the building: indoors, outdoors, floors and wall coverings, coordinated in a single colours or mixing different material looks.

Several lab tests are responsible for the unquestionable quality and fabulous finishing of each Exxaro tiles. However, though the calibre planner machine imported from Italy is no less than a magic by monitoring the dimensions and thickness of tiles.

Features and Specification

	ANTI SLIP SURFACE		EASY MAINTENANCE		HYGIENIC SURFACE
	HIGH DURABILITY		EASY INSTALLATION		FIRE RESISTANCE
	WATER RESISTANCE		BENDING STRENGTH		RESISTANCE TO CHEMICALS




600x
1200mm
MATT

WALL: Antico Ash Decor
FLOOR: Antico Ash

Size: 600x1200mm
Finish: MATT

SPANZIA
COLLECTION



ANTICO


ASH DECOR

Flat Glaze Vitrified Tiles

Size: 600x1200mm

Finish: Rocker

Thickness: 9mm



ANTICO

ASH

Flat Glaze Vitrified Tiles


Size: 600x1200mm

Finish: Matt

Thickness: 9mm

Available Random 4







ANTICO
BEIGE

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm


Available Random 4



ANTICO
OLIVE

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 4







ANTICO
SMOKE


Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 4



ANTICO
SMOKE DECOR

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Rocker
Thickness: 9mm





WALL: Antico Smoke Decor & Antico Smoke
FLOOR: Antico Gris

Size: 600x1200mm
Finish: MATT

ANTICO GRIS


Flat Glaze Vitrified Tiles

Size: 600x1200mm

Finish: Matt

Thickness: 9mm

Available Random 4



ANTICO NERO


Flat Glaze Vitrified Tiles

Size: 600x1200mm

Finish: Matt

Thickness: 9mm


Available Random 4



CARMELLA CREMA

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 5



CARMELLA GRIS DECOR

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Rocker
Thickness: 9mm





CARMELLA
GRIS

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 5



CARMELLA
TOBACCO

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 5





WALL: Carmella Gris Decor
FLOOR: Carmella Crema

Size: 600x1200mm
Finish: MATT



CARMELLA
SMOKE

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm


Available Random 5




CARMELLA
OLIVE

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 5





DYNAMIK
BROWN DECOR

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Rocker
Thickness: 9mm




DYNAMIK
BROWN

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 5






DYNAMIK
BLANCO

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 5



DYNAMIK
SMOKE

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 5





WALL: Dynamik Brown Decor
& Dynamik Crema
FLOOR: Dynamik Brown

Size: 600x1200mm
Finish: MATT



DYNAMIK
BURLY

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm


Available Random 5




DYNAMIK
CREMA

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 5






REVEN ARENA DECOR

Flat Glaze Vitrified Tiles

Size: 600x1200mm

Finish: Rocker

Thickness: 9mm



REVEN ARENA

Flat Glaze Vitrified Tiles

Size: 600x1200mm

Finish: Matt

Thickness: 9mm

Available Random 5







WALL: Reven Arena Decor & Reven Calce

FLOOR: Reven Arena

Size: 600x1200mm

Finish: MATT



REVEN
GREY

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 5




REVEN
GRIS

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm


Available Random 5





SYON KHAKHI
DECOR


Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Rocker
Thickness: 9mm




SYON
KHAKHI

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 2







FLOOR: Syon Khakhi Decor & Syon Ivory

WALL: Syon Smoke

Size: 600x1200mm

Finish: MATT



SYON

ASH

Flat Glaze Vitrified Tiles

Size: 600x1200mm

Finish: Matt

Thickness: 9mm

Available Random 5



SYON

SMOKE


Flat Glaze Vitrified Tiles

Size: 600x1200mm

Finish: Matt

Thickness: 9mm

Available Random 2





TOSCANA ASH

Flat Glaze Vitrified Tiles

Size: 600x1200mm

Finish: Matt

Thickness: 9mm

Available Random 5



TOSCANA BLANCO


Flat Glaze Vitrified Tiles

Size: 600x1200mm

Finish: Matt

Thickness: 9mm

Available Random 5





TOSCANA
BONE

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 5



TOSCANA
GREY

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 5





FLOOR: Toscana Bone

WALL: Toscana Bone

Size: 600x1200mm

Finish: MATT



VOYAGE
DECOR


Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Rocker
Thickness: 9mm



VOYAGE
ALMOND

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 3






VOYAGE
CREMA

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm


Available Random 3



VOYAGE
OAT

Flat Glaze Vitrified Tiles
Size: 600x1200mm
Finish: Matt
Thickness: 9mm

Available Random 3





VOYAGE BLANCO


Flat Glaze Vitrified Tiles

Size: 600x1200mm

Finish: Matt

Thickness: 9mm

Available Random 3



VOYAGE SILVER


Flat Glaze Vitrified Tiles

Size: 600x1200mm

Finish: Matt

Thickness: 9mm

Available Random 3





WALL: Voyage Decor & Voyage Crema

Voyage Almond

FLOOR: Voyage Almond

Size: 600x1200mm

Finish: MATT

TECHNICAL SPECIFICATIONS



Sr. No	Characteristics	Method of Testing	Vitrified Tiles ISO 13006 / EN 176 Group Bla	Values
A	Dimension & Surface Quality			
1	Deviation in Length & Width	ISO 10545-2	+ / - 0.5%	+ / - 0.1%
2	Deviation in Thickness	ISO 10545-2	+ / - 5.0%	+ / -2.0%
3	Straightness of Sides	ISO 10545-2	+ / - 0.5%	+ / - 0.1%
4	Rectangularity	ISO 10545-2	+ / - 0.5 %	+ / - 0.1%
5	Surface Flatness	ISO 10545-2	+ / - 0.5%	+ / - 0.2%
6	Color Differences	ISO 10545-16	Unaltered	No Change
7	Surface Coating	Nano Machine	As Per Manufacturer Norms	Nano Polished
B	Physical Properties			
1	Water Absorption	ISO 10545-3	< 0.5%	0.08%
2	Flexural Strength (MOR)	ISO 10545-4	> 27 N / mm2	> 30 N / mm2
3	Mohs Hardness	EN 101	Min 6	6 Mohs
4	Flexural Breaking Strength	ISO 10545-4	> 1113 N	2350 N
5	Bulk Density (Gm / cc)	DIN 51082	>2 gm/cc	2.35 gm/cc
6	Glossiness	Glossometer	As Per Manufacturer Norms	Min 85 % reflection
7	Slip Resistance Coefficient of Friction	ISO 10545-17	> 0.4	> 0.6
8	Crazing Resistance	ISO 10545-11	Min 4 Cycle @ 7.5 Bar	Passes 4 Cycle
9	Resistance Of Surface Abrasion	ISO 10545-6	As Per Manufacturer Norms	> PEI I V
C	Chemical Properties			
1	Staining Resistance	ISO 10545-14	Resistant	Resistant
2	Household Chemicals	ISO 10545-13	No Damage	No Damage
D	Thermal Properties			
1	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
2	Thermal Expansion	ISO 10545-10	9 x 10 - 6 max	6 x 10 -6
3	Moisture Expansion	ISO 10545 - 10	Nil	Nil

Note : Color shown are as accurate as the limitation of the printing process will allow. Prospective customers are advice to inspect a sample of the tile before ordering. Every efforts has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

PACKING DETAILS

PRODUCT	SIZE	PCS/BOX	COVERAGE AREA	
SURFACE FGVT TILES	600 x 1200mm	2	1.44 SQ. MTR.	15.50 SQ. FT.

Application Area



GVT
SURFACE



HOTELS



AIRPORTS



INTERIOR
DESIGN



RESTAURANTS



KITCHENS AND
BATH ROOM



HOMES



MUSEUMS



OFFICES



RETAIL MALLS

AHMEDABAD OFFICE & CDC:

Shop No.102, Sharthik Square, Nr. Pakwan Circle, S.G. Highway, Ahmedabad - 380054, Gujarat
M: +91 9909902303 | E-mail: cdc.ahm@exxarotiles.com

MUMBAI OFFICE & CDC:

A WING / 309, Dynasty business park, Next JB nagar metro station, Andheri Kurla road,
Andheri east, Mumbai - 400065, Maharashtra
M: +91 9820891164 | E-mail: cdc.mumbai@exxarotiles.com

BANGALORE OFFICE & CDC:

42/14, 3rd cross, 5th block, SSI Area, Rajajinagar, Bangalore - 560010, Karnataka
M: +91 9342162908 | E-mail: cdc.bangalore@exxarotiles.com

CHENNAI OFFICE & CDC:

Old.no.340, New no.7, 8th Avenue, Ashok nagar, Chennai - 600083, Tamilnadu
M: 044-42038555 | E-mail: chennai@exxarotiles.com

COCHIN OFFICE & CDC:

1st Floor, Door No. 40/495, Mamanglam, Southern Side of Mamangalam - Pottakuzhi Road,
Nr. S.N. Auditorium, Edappally South, Palarivattom Po, Ernakulam - 682025, Kerala
M: +91 9349912120 | E-mail: cdc.cochin@exxarotiles.com

BHUBANESWAR OFFICE & CDC:

Gomati Devi Residency, Flat No 002, N.H-5, Nr. HP petrol pump, Rasulgarh,
Bhubaneshwar - 751010, Odisha
M: +91 7381055075 | E-mail: cdc.bhubaneswar@exxarotiles.com

**EXXARO TILES LIMITED**

CIN: L26914GJ2008PLC052518

Corporate Office:

12th Floor, D - Block, Ganesh Glory11, Near BSNL Office, Jagatpur - Chenpur Road, S. G. Highway,
Jagatpur, Ahmedabad - 382470 Ph. No.: 079 3500 5555

Regd. Office & Unit-2:

Survey No. 169 & 170, Vavdi Harsol Road,
At & Po.: Mahelav, Taluka: Talod,
Sabarkantha - 383305, Gujarat, India.

Unit-1:

Block No. 204 / 205, Opp. Hanuman Temple,
Nr. Mahuvad Turning, At & Po. Dabhasa,
Tal. Padara, Dist. Vadodara - 391440, Gujarat, India.

